

2002 Ford Mustang GT V8-4.6L SOHC VIN X

Vehicle > Technical Service Bulletins

## ENGINE OIL - OIL RECOMMENDATIONS/APPLICATIONS

### Related Links

Veh. App. Listing Approved For SAE 5W-20 Motor Oil

Article No.

02-1-9

01/21/02

ENGINE - ENGINE OIL - RECOMMENDED  
APPLICATIONS FOR SAE 5W-20 AND SAE 5W-30  
MOTOR OILS - GASOLINE AND FLEXIBLE FUEL  
VEHICLES ONLY

FORD:

1992-2002 CROWN VICTORIA

1993-1994 TEMPO

1993-1997 THUNDERBIRD

1993-2002 ESCORT, MUSTANG, TAURUS

1995-2000 CONTOUR

1998-2002 ESCORT ZX2

2000-2002 FOCUS

1993-1996 BRONCO

1993-1997 AEROSTAR

1993-2002 E SERIES, F-150, RANGER

1995-2002 WINDSTAR

1997-1999 F-250 LD

1997-2001 EXPLORER

1997-2002 EXPEDITION

1999-2002 SUPER DUTY F SERIES, SUPER DUTY F-53 STRIPPED CHAS.

2000-2002 EXCURSION

2001-2002 ESCAPE

LINCOLN:

1991-2002 TOWN CAR

1993-1998 MARK VIII

1993-2002 CONTINENTAL

2000-2002 LS

1998-2002 NAVIGATOR

MERCURY:

1992-2002 GRAND MARQUIS

1993-1994 TOPAZ

1993-1997 COUGAR

1993-1999 TRACER

1993-2002 SABLE  
 1995-2000 MYSTIQUE  
 1999-2002 COUGAR  
 1997-2001 MOUNTAINEER

This article is being republished in its entirety to update the vehicle models, engines and years affected.

#### NOTE

PLEASE REFER TO THE VEHICLE APPLICATION LIST LATER IN THIS TSB FOR A COMPLETE LIST OF VEHICLES AFFECTED BY THIS TSB.

#### ISSUE

Ford Motor Company now recommends SAE 5W-20 viscosity grade for servicing most gasoline and flexible fueled vehicles.

#### ACTION

All 2001 and 2002 vehicles where SAE 5W-20 is specified should be serviced at the recommended oil change intervals using SAE 5W-20. This oil is an improved formulation to improve fuel economy.

Testing has validated this viscosity grade can be used in many previous model year vehicles. It is recommended ALL vehicles on the following Vehicle Application Listing be service with SAE 5W-20.

All 2001-2002 vehicles other than those listed in the "Exception 2001 Vehicles" or "Exception 2002 Vehicles" chart are being filled with SAE 5W-20 motor oil at the factory and should also be serviced with SAE 5W-20 oil.


Engine	Vehicle
3.3L	Villager
3.9L	Lincoln LS
4.0L	Ranger, Explorer/Mountaineer, Explorer Sport, and Explorer Sport Trac

#### Exception 2001 Vehicles



## Exception 2002 Vehicles

 image



### **NOTE**

IF VEHICLE IS NOT LISTED IN THIS APPLICATION, SAE 5W-30 OIL IS RECOMMENDED. REFER TO TSB 99-8-16.

PART NUMBER	PART NAME
XO-5W20-QSP	SAE 5W-20 Motor Oil - Quart (USA)
CXO-5W20-LSP12	SAE 5W-20 Motor Oil - Litre (Canada)
XO-5W20-5QSP	SAE 5W-20 Motor Oil - 5 Quart Jug (USA)
XO-5W20-DSP	SAE 5W-20 Motor Oil - 55 Gallon Drum (USA)
CXO-5W20-DBSP	SAE 5W-20 Motor Oil - 205 Litre Drum (Canada)

Parts Block

OTHER APPLICABLE ARTICLES: 99-8-16

SUPERSEDES: 01-4-7

WARRANTY STATUS: INFORMATION ONLY

OASIS CODES: 401000, 490000, 497000, 499000