



2005-14 Windshield Washer Hose Repair Kit



Installation -

1. Raise vehicle off ground via lift or jack and secure with jackstands.
2. Remove passenger front wheel and tire.
3. Remove passenger inner wheel well liner.
4. Open hood and Remove underhood insulator.
5. On 05-09 Mustang applications cut an 104" length of the 1/4" diameter rubber hose (A) that will be used for the main hose assembly. For 10-14 Mustang applications, cut an 83" length of the 1/4" diameter rubber hose for the main hose (A). (**Figures 1.1, 2.1**)
6. On 05-09 Mustang applications with the left over 21" hose from the main assembly, cut 18" of length from the 1/4" diameter rubber hose (B). For 10-14 Mustang applications with the left over 24" long hose from the main hose assembly, cut a length of 22" from the 1/4" diameter rubber hose (B). (**Figures 1.2, 2.2**)
7. On all 05-14 Mustang applications, add the provided T-Fitting (C) to one of the ends of the main hose assembly. (**Figures 1.3, 2.3**)
8. On all 05-14 Mustang applications connect the main hose assembly to the extension hose made in step 6 (**Figures 1.3, 2.3**)
9. On 05-09 Mustang applications cut a 1 1/4" length from the scrap 1/4 diameter rubber hose (D). For 10-14 Mustang applications with the left over 1/4 diameter rubber hose scrap cut a 1" length hose (D). (**Figures 1.3, 2.3**)
10. Add the short hose above to the top of the T-Fitting for both applications. (**Figures 1.3, 2.3**)
11. On 05-09 Mustang applications add 1 LRS-47092 90 Degree bend rubber tube (E) to the end of the 18" hose extension. For 10-14 Mustang applications add 1 LRS-47092 90 Degree bend (E) to the end of the 22" hose extension. (**Figures 1.2, 2.2**)

12. For 05-09 Mustang applications cut the other LRS-47092 90 Degree rubber tube right before the bend, creating a 1 1/8" - 1 1/4" straight tube (**F**). Do this to both ends of the 90-degree bend rubber tube, 05-09 Mustangs will need qty x2 of the straight tubes. 10-14 Mustang applications will only use one. (**Figures 1.3, 2.3**)

13. For 05-09 Mustangs only, slip 1 Straight tube (**F**) made from LRS-47092 in step 12 to the end of the 104" main hose supply, this connects to the windshield washer pump. (**Figure 1.4**)

14. On 05-09 Mustang applications slip the second Straight tube (**F**) made in step 12 over the top of the 1 1/4" end of the T-Fitting. For 10-14 Cars Slip the Straight tube (**F**) made in step 12 over the top of the 1" end of the T-Fitting. (**Figures 1.3, 2.3**)

15. Clip all AUV-19795 (**G**) to the hose close to the corresponding spots (these will slide on the hose if position is wrong when installing finished piece, and doesn't have to be exact). 05-09 Mustangs will only use four clips, and 10-14 Mustang applications will use all seven clips. (**Figures 1.1, 2.1**)

16. For all 05-14 Mustang applications, install main supply hose to the vehicle, make sure all clips (**G**) slide to the right clip mounting holes. Connect the end of the main supply hose to the pump off the washer reservoir. Then connect the T-Fitting and 90-degree bend tube to the windshield washer nozzles. (**Figures 1.5, 1.6, 1.7, 2.4, 2.6, 2.7, 2.8**)

17. On 10-14 Mustangs only using 4 zipties, use 2 zipties on the 90-degree bend tube once installed on the vehicle to secure the connections. Then use the remaining two to tighten the straight connection from the T-Fitting. (**Figures 2.3, 2.5**)



18. For 05-09 Mustangs only, position main hose assembly where the tape clip (**H**) provided would sit clipped in and electrical tape the tape clip together and push the clip in its corresponding hole. (**Figure 1.6**)




19. Reinstall underhood insulator.

20. Reinstall wheel well liner

21. Reinstall wheel and tire.



22. Lower Vehicle.








FIND YOUR NEXT MOD! SHOP 1000s OF PARTS ONLINE 24/7 @ [LMR.COM](https://www.lmr.com)

Copyright © Late Model Restoration 2025. All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means.



FIND YOUR NEXT MOD! SHOP 1000s OF PARTS ONLINE 24/7 @ LMR.COM

Copyright © Late Model Restoration 2025. All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means.



FIND YOUR NEXT MOD! SHOP 1000s OF PARTS ONLINE 24/7 @ LMR.COM

Copyright © Late Model Restoration 2025. All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means.

Figure 2.8



Disclaimer

By using this instruction sheet, you agree that other than as expressly stated in the LMR Terms and Conditions (Agreement) or as required by the laws of the state of Texas or applicable United States federal law (Applicable Law), this instruction sheet is provided "AS IS" and LMR does not make any specific representations or warranties about this instruction sheet. For example, LMR does not make any warranties about: (a) the content provided in this instruction sheet; (b) any specific features of this instruction sheet, or its accuracy, reliability, or ability to meet your needs. The knowledge and experience level of users of this instruction sheet vary widely; if you do not have adequate knowledge and experience to use this instruction sheet and safely accomplish the tasks described, please hire a professional to assist you for your safety and the safety of your vehicle and others.

Limitation of Liability

Except as required by Applicable Law, LMR, its affiliates, officers, directors, employees and agents will not be responsible for any loss of profits, revenues, business opportunities, goodwill, or anticipated savings, indirect or consequential loss, punitive damages caused by:

- Errors, mistakes, or inaccuracies in this instruction sheet
- Personal injury or property damage resulting from your use of this instruction sheet

This limitation of liability provision applies to any claim regardless of whether the claim asserted is based on warranty, contract, tort or any other legal theory.

Use this information at your own risk. Any injury, damage, or loss that may result from use of the tools, equipment, products, or information contained in this instruction sheet is the sole responsibility of the user.

Indemnity

To the extent permitted by Applicable Law, you agree to defend, indemnify and hold harmless LMR, its Affiliates, officers, directors, employees, agents, information providers, licensors, and other partners from and against any and all claims, damages, obligations, losses, liabilities, costs or debt, and expenses (including but not limited to attorney's fees) arising from: (i) your use of and access to this instruction sheet; (ii) your violation of any term of the Agreement; (iii) your violation of any third party right, including without limitation any copyright, property, or privacy right; or (iv) any claim that your actions caused damage to LMR or a third party. The defense and indemnification obligations will survive this Agreement and your use of this instruction sheet.

FIND YOUR NEXT MOD! SHOP 1000s OF PARTS ONLINE 24/7 @ LMR.COM